Version 4.20.10.05:

Most important features of version 4.20.10.05 compared to version 4.20.10.00 :

(Release date: 27.07.2007)

TiCoBasic V1.1.02 Beta: diverse bugfixes; new:RINGBUFFER

- ADtools V5.7: new:TGraphTiCo

ADbasic include files:

ADwinL16.inc: bugfix: SEQ_INIT(); new (for CAN): READ_MSG_CON()
 ADwinPRO1.inc, ADwPEXT.inc, ADwGCAN.inc: new (for CAN): READ_MSG_CON()

• ADwinPRO2.inc: Pro II-DIO-32 Rev. E is now supported

Developer software :

Matlab driver: now also Matlab version 7.4 (R2007a) is supported;

"Standalone Applications" (EXE) can be created

DASYLab driver: new: support of DASYLab (version 7, 8 and 9)
 Testpoint driver: Realtime Object 1.4.2: new action: Fifo Full

- ADlog V1.0.41.0:

• measurement processes for Pro, Pro II, Gold and Light-16 were optimized; L16_MODE for Light-16 Rev.B

Most important features of version 4.20.10.00 compared to version 4.20.08.02 :

(Release date: 20.03.2007)

- TiCobasic V1.1.01: Real-Time development tool for TiCo processors

(The TiCo-processor is a standalone, free programmable add-on processor, which is currently used in certain *ADwin-Pro II*-modules)

ADbasic V4.20.10 :

- Windows Vista is supported (new HTML Help system)
- bugfix at : CASEELSE
- ADwin operating system (ADwin11.BTL) :
 - bugfix: occasional problem caused by PC communication
 - bugfix: occasional problem on starting several processes
- ADbasic include files :
 - ADwPDIO.inc, ADwinPRO1.inc: bugfix at PWM_ENABLE
 - ADwPEXT.inc, ADwinPRO1.inc: bugfix at Profibus, Interbus
- Developer software :
 - Delphi driver : bugfix at Process_Status()
- ADconfig V3.13: support of Windows Vista
- ADtools V5.7::
 - Windows Vista is supported (new HTML Help system)
 - bugfix at TButton, TGraph, TLed
- ADEthFlash V3.7: support of Windows Vista
- ADPro V5.3.2 :
 - SSI-Interface of CO4-D modules is supported
 - the four counters of CO4 modules are supported
 - backup and restore of calibriation data (modules Aln-F8/18, Aln-F8/14, Aln-8/18 and Aln-32/18)
- ADlog V1.0.40.2:
 - Windows Vista is supported (new HTML Help system)
 - bugfix : occasional problem on recording in Diadem-format
- Setup.exe V4.7: installs current versions of the "Adobe Reader"
- Linux, MAC OS: SciLab is now supported

Most important features of version 4.20.08.02 compared to version 4.20.05.07:

(Release date: 16.11.2006)

- ADbasic V4.20.08 :
 - bugfixes at: libraries, STRINGS, SHIFT_LEFT, SELECTCASE und MEMCPY
 - bugfix at access to Pro-II bus
 - bugfix at programcode located in DRAM_EXTERN (only T11)
 - bugfix (at T9 and T10) on calculation of constants (1 / const.)

- ADwin operating system (ADwin11.BTL) :
 - bugfix: occasional damage of low prioritized processes caused by PC communication
- ADwin operating system (ADwin10.BTL):
 - bugfix at the PC communication functions Fifo_Full, Fifo_Empty, Fifo_Clear
 - bugfix at code in LOWINIT at externally controlled processes
 - bugfix at : TAN
- ADbasic include files:
 - ADwinPRO1.inc: LS-Bus support (T11)
 ADwPEXT.inc: LS-Bus support (T9 und T10)
 ADwL16.inc: LS-Bus bugfix and optimized
- Developer software :
 - Labview driver V2.2 :
 - changes because compatibility to Windows / Linux / Mac OS
- ADconfig V3.9:
 - Web Interface can be started from the Scan- window
 - "Ping" can be executed
 - bugfix: it was possible to create a duplicate Device No (at Edit: USB/Link)
- ADPro V5.2.2510:
 - LS-Bus- module is supported
 - calibriation of the modules Aln-F8/18, Aln-8/18 and Aln-32/18
 - diverse improvements and bugfixes
- ADlog V1.0.37.1:
 - number of points per line increased from 10000 to 20000
 - higher performance at lower CPU-load
- Linux, MAC OS :
 - ADbasic- compiler V4.20.07.00 (only for Linux)
 - Linux / Mac-library (= shared library) V3.0.449 :
 - support of Mac OS X 10.4 for ADwin-systems with Ethernet-interface
 - Labview driver V2.2 (Linux and MAC)
 - numerous functional improvements

Most important features of version 4.20.05.07 compared to version 4.20.04.04:

(Release date: 06.09.2006)

- ADbasic V4.20.05 :
 - bugfixes at: MEMCPY, SELECTCASE (only at CASE 0)
 - bugfix on opening of ADbasic project files (*.ABP)
 - bugfix at instructions for the modules Pro-II-AOut- 8/16 and Pro-II-AIn-F-8/14
 - occasional problem with access to Pro-II bus
- ADbasic include files :
 - ADwinPRO2.inc : bugfix at the modules Aln-8/18 and Aln-32/18

(concerns the instructions: $P2_SEQ_INIT$ and $P2_BURST_READ_INDEX$)

ADwinPRO1.inc: new:TC_READ_BADwPEXT.inc: new:TC READ_B

• ADwPAD.inc: bugfix for T10 at: READ_ADCF8, READ_ADCF8_PACKED

• ADwL16.inc: new: support of the module HSM-24V (via LS-Bus)

- Developer software :
 - examples for Excel driver (ActiveX and Visual Basic)
 - SciLab V1.03.00 : (on the CD-Rom for the first time)
 - Matlab: warning "... case-sensitive match for 'adlab' ... " fixed
- ADPro V5.2.2406: diverse improvements
- ADlog V1.0.36:
 - new : processes and configurations for Pro-II modules
 - diverse improvements

Most important features of version 4.20.04.04 compared to version 4.20.03.07:

(Release date: 17.05.2006)

- ADbasic V4.20.04 :
 - bugfixes at: libraries, strings, MEMCPY, SHIFT_RIGHT, SHIFT_LEFT

- bugfix at programcode located in DRAM_EXTERN (only T11)
- bugfix at optimization level 2 (only T9 and T10)
- bugfix at powerfunction (only at ^2 or ^3)
- ADwin11.BTL :
 - bugfix at SetData at certain values of Startindex and Count
 - bugfix at GetFifo (only at high prioritized processes with long lasting EVENT section)
- ADbasic include files :
 - ADwinPRO2.inc: new: support of the modules Aln-8/18, Aln-32/18 and AOut-8/16 (Rev. E)
 (new instructions: P2_ADC..., P2_DAC..., P2_DAC4_PACKED, ...)
- ADwin driver (ADwin32.DLL): bugfix at Get_Digout() and Set_Digout()
- ADtools: V5.5::
 - TGraph: new:FFT
 - now each tool can be moved by ADtools.exe and brought "on top" of the screen
 - new: ADstartpanel.exe
 - diverse bugfixes and improvements
- ADEthFlash V3.4: new: button for Bootloader dis-/enable (from ENET firmware 2.66 on)
- ADlog V1.0.33 :
 - Start/Stop Communication Buttons are now located in the toolbar of the main window
 - math. functions improved
 - diverse improvements

Most important features of version 4.20.03.07 compared to version 4.20.03.00 :

(Release date: 30.03.2006)

- ADbasic include files :
 - ADwinPRO2.inc : new : support of the module Pro-Ain-F-8/14 (Rev. E)

bugfix at CPU_EVENT_CONFIG()

• ADwL16.inc: new instructions for Rev. B: SEQ_READ(), SEQ_INIT(), L16_MODE()

only DIO_02: SSI_...()

only DIO_02 or DIO_03: DIGIN_LONG_E(), DIGOUT_LONG_E()

- ADwinTCPIPserver V1.7.0: optimisation of data throughput
- Pro-Storage: Pro-Storage_MP.BAS: bugfix at writing into a file
- L16Calib.exe V2.0: now also suitable for calibration of the new L16 Rev. B
- ADconfig V3.5: bugfixes at DHCP
- ADlog V1.0.32 :
 - new: math. functions: Addtion, Substraction
 - new : two configurations with 16 channels for ADwin Gold
 - improved Zoom at several Y-axis
 - Recording mode : enhanced triggermodes
 - Recording mode: now also header line (with the names of the channels)

Most important features of version 4.20.03.00 compared to version 4.20.01.08 :

- ADbasic V4.20.01, ADwin11.BTL:
 - Conditional compilation with ADWIN_SYTEM (= ADWIN_GOLD, ADWIN_L16, ADWIN_PRO)
 - names of variables and #DEFINE may not contain special characters (+-*/-.;&|%\$\$#) any longer
 - bugfix at libraries at T11
 - bugfix at programcode located in DRAM_EXTERN (only T11)
 - bugfix at concatenation of strings
 - bugfix at setting of the Low Priority Level
 - bugfix at #DEFINE, which is used in a SUB or a FUNCTION
- ADbasic include files :
 - ADwpAD.inc: new: READ_ADCF4/8, READ_ADCF4/8_PACKED
 - ADwinPRO2.inc : new : support of the module Pro-Ain-F-8/18
- ADbasic libraries :
 - String.Li*: bugfix at function VALF: Exponent was ignored, if it contained a "+" character
- ADtools: TProcess V5.3 supports the new Debug- Mode messages of the Pro-II-Bus
- ADPro V5.1.2153: diverse improvements

- ADlog V1.0.27: diverse improvements

Most important features of version 4.20.01.08 compared to version 4.01.19.00 :

- ADbasic version 4.20.01, ADwin11.BTL:
 - **support of the new processor T11** (with 300 MHz, more details: see document: C:\ADwin\Documents\Hardware\ADwin-PRO\english\Pro T11 eng.pdf)
 - new instructions (only T11): START_PROCESS_DELAYED, RESTART_PROCESS, MEMCPY, CPU_SLEEP, P1_SLEEP, P2_SLEEP
 - maximum codesize (per process) is 1.000.000 Byte when using T11 processor
 - bugfix at Shift_Left
 - bugfix at string assignment and string addition (only when using a T10 processor)
 - Parameter Scan did not work for Par 80, FPar 80
 - now a warning is generated, if the operator " " is directly following after the operators " / " or " ^ ".
- ADbasic include files:
 - ADwinPRO1.inc : new file for processor T11 (for well-known bus Pro I)
 - ADwinPRO2.inc : new file for processor T11 (for new Bus Pro II)
 - new instructions: CPU_EVENT_CONFIG, CPU_DIGIN, CPU_DIG_IO_CONFIG, CPU_DIGOUT
 - ADwinPRO_ALL.inc: new universal include file for all processors T4 to T11
- ADbasic libraries :
 - String.Li*: bugfix at functions LNGTOSTR and FLOTOSTR
 - FFT.Li*: optimized version for T11, bugfix at function FFT_Phase()
- ADbasic sample programs :
 - new sample programs: Pro-Aln8-14_Seq.BAS, Pro-Aln8-14.BAS
- ADwin driver bugfixes :
 - occasional problem with SetData function (ENET)
 - occasional loss of PC physical memory on useage of function SetFifo (ENET)
- Developer software :
 - Agilent VEE: sample programs revised, new: Bas_Dmo7.vee
 - Matlab: ADlab.dll is now located in the directory "C:\ADwin\Developer\Matlab\ADwin"
- ADPro version 5.0.2077 :
 - support of processor T11; improved user interface
 - hint: ADpro_Old has to be used for processors T4 to T8
- ADlog V1.0.24: diverse improvements; reworked Online-help
- ADEthFlash V3.3: new: button for Bootloader dis-/enable (from ENET firmware 2.66 on)
- Setup.exe (version 4.3.0.0) :
 - there is no more check, whether the user is a so-called "Administrator", but only, whether the user is a member of the Administrators' group
 - check if Microsoft (R) .NET Framework 1.1 is installed
- JAVA V1.2:
 - support of processor T11
 - new methods : Set_Processdelay, Get_Processdelay
 - the max. data transmission rate at GetData was increased (from ENET firmware 2.66 on)

Most important features of version 4.01.19.00 compared to version 4.01.17.01:

- ADbasic version 4.01.19:
 - bugfix at: "Compiler Options" -> "System" -> "ADwin-GOLD"
- ADlog V1.0.21: diverse improvements; reworked Online-help

Most important features of version 4.01.17.01 compared to version 4.01.15.00 :

- ADbasic version 4.01.17:
 - display of line and column number in the "Status Bar"
 - new ADbasic systemvariable PROCESSDELAY (identical with GLOBALDELAY)
 - bugfixes at #defines, #endif and optimization level 2
 - bugfix at : SIN, COS, EXP, LOG, LN, SQRT, TAN, ARCSIN, ARCCOS, ARCTAN
 - bugfix at : variable ^ constant ^ constant
 - bugfix: Mark Controlblock did not work under Win XP

- ADbasic include files :
 - ADwpext.inc : support of the new thermocouple- module TC-8 ISO
- ADbasic library files :
 - Sting.Li9 / .LiA: bugfix at STRMID, STRLEFT, STRRIGHT, FLOTOSTR
- ADwin driver (ADwin32.DLL) :
 - max. data transmission rate at GetData was increased from 4.8 to 6 Mbyte/s (from ENET firmware 2.66 on)
 - bugfix: write permissions are no longer needed in the root- directory on the fixed disk (C:\)
 - bugfix: now also dots (= periods) are allowed in the path of the ADwin?.BTL
- Developer software :
 - ADwinActiveX V 3.0.0.1 :
 - improved error handling now supports also Multi-Threading
 - bugfix at Set_Language()
 - Labview driver :
 - improved error handling now supports also Labviews Multi-Threading
 - the DLL-calls were made independent from the user-interface; therefore the user-interface is operable even during long-lasting DLL-calls (e.g. if ADwin-system is not accessible)
 - calling convention of the VI's is no longer "as caller" but "standard", therefore possibly higher speed
 - o from now on the current driver does only support Labview versions >= 6.0
 - o bugfix : at GetData_String
 - Matlab driver :
 - o new: Get_Last_Error_Text, String_Length, Get/SetData_String, Get_DeviceNo, Show_Errors
 - Online-help: 'help ADwin' can now be called in the 'Command Window'
 - Testpoint driver : Realtime Object 1.4.1 :
 - new action: Read Fifo Int32: necessary for integer numbers greater than 16777215 (= 24-bit)
 - Read Parameter All and Read Parameter Block are now returning signed values
- ADconfig V3.0:
 - o completely new designed and clearly arranged user interface
 - scanning of ADwin-systems (Scan_AEI) is now integrated into ADconfig
 - o context- sensitive Online- help
- ADEthFlash V3.2 as well as ADtools V5.1: adaptions for future processors
- ADlog V1.0.19: diverse improvements
- JAVA V1.1: bugfixes

Most important features of version 4.01.15.00 compared to version 4.01.13.00 :

- ADbasic version 4.01.15:
 - new samples: RS232_send_string.BAS, RS232_receive_string.BAS
- ADwin operating system :
 - ADwin10.BTL: bugfix at ADBasic instruction START_PROCESS()
 - ADwin9.BTM: issue with Link- Bootloader fixed
- Developer Software :
 - Delphi driver: bugfix: wrong return values at function ADBoot() (at processors T2, T4, T5, T8)

as well as function Processor_Type() (at T5 and T9)

- Matlab driver : bugfix: function 'Get_Globaldelay' : value was taken from processnumber+1
- C driver : sample programs revised
- Testpoint driver: systemobject 1.3.8:
 - new option "Load Standardprocesses" (i.e. loading of ADwins9.btl is possible)
- ADwinActiveX V 2.0.0.11 :
 - **New :** sample programs for VB.NET and C#.Net
 - Intouch sample programs adapted to Intouch 9.0
- **New**: GUI_development.pdf: advice for developers on the drivers and samples of the different development environments
- ADwinTCPIPserver V1.6.3 :
 - Bugfix : big data throughput caused a timeout at 'SetData'
 - now several PCs can access an ADwin-system via the ADwinTCPIPserver
 - Help- file completely revised
- ADEthFlash V3.0: Online info about EEprom Support now also for ADwin Ethernet interface 2
- ADtools V5.0: at all ADtools: buxfix at the DeviceNo (only if last used DeviceNo does not exist any more)
 - TPoti: the Focus-color and the NonFocus-color is now selectable
 - ADtools.exe: the recent used path is remembered on saving and opening *.def files
- ADlog V1.0.11: datalogging software for ADwin systems
 - ADbasic measurement processes reworked
 - higher performance of the graphic display
 - X-axis can be shown in a date / time formatted manner

- diverse bugfixes and improvements
- Help- file now also in English
- Linux: completely reworked: ADbasic-compiler V4.01.11 and driver V3.0.446 (now also ENET support)

Most important features of version 4.01.13.00 compared to version 4.01.10.02:

- ADbasic version 4.01.13:
 - bugfix: at SHIFT_LEFT, SHIFT_RIGHT, ABS, SIN, COS, EXP, LOG, LN, SQRT, TAN if one of these functions uses itself as a function parameter
 - bugfix: accuracy of calculations at division by a constant
 - bugfix: printing in "landscape"- orientation
 - bugfix: at optimization level 2 on calculation with constant expressions
 - new Compiler Option: Remember Device No.
- ADbasic Include files:
 - ADwpdio.inc: new subroutine: RTC_GET()
 - ADwpAD.inc: bugfix: BURST CREAD ()
 - ADwpext.inc: bugfixes: RS_RESET(), WRITE_FIFO(), GET_LINE_STATUS()
 - ADwGCAN.inc: new file for CAN-expansion at ADwin-GOLD
 - PRO-STORAGE SP.inc: bugfix: MEDIA RD ...
- ADwin driver bugfixes:
 - occasional problem with SetData function on ENET fixed only together with firmware >= 2.53 and 2.64 respectively
 - occasional problem with GetFifo function (ENET)
- Developer Software: Testpoint driver:
 - Realtime Object 1.3.8: bugfix: Read Parameter returned only unsigned values.
 - A/D Object 1.3.5: bugfix: at Sample A/D Action (all 16-bit values < 32768 were miscalculated)
- ADEthFlash V2.9: EEprom Support now also for ADwin Ethernet interface 2
- ADtools V4.9: diverse buxfixes at TGraph, TDigit, TPoti, TPar_Fpar

 - TGraph: new: now up to 16 analog channels and 32 digital channels
 TGraph: new: importing of data from a textfile
 TGraph: new: timer can be disabled by pressing the SHIFT- key during startup
 TGraph: new: values can be edited by double-clicking in the Textwindow

 - TProcess: new: ADbasic Debug Errors are displayed
 - TProcess: new: PM, DM, DX and Codesize are displayed
 - TProcess: new: Globaldelay can be set also in frequency units (Hz, kHz, MHz)
 - TPar_Fpar: new: comments can be imported from ADbasic #defines.
- ADlog V1.0: datalogging software for ADwin systems. (on the CD-Rom for the first time)
- JAVA V1.0: JAVA- interface for ADwin-systems with Ethernet interface (on the CD-Rom for the first time)

Most important features of version 4.01.10.02 compared to version 4.01.01.21:

- ADbasic version 4.01.10:
 - bugfix: if the same Fifo is used several times within an expression
 - diverse bugfixes at optimization level 2 (e.g. at:Digin())
 - bugfix: at integer expression VARIABLE * CONST / CONST or VARIABLE / CONST * CONST
 - now more than 128 characters are allowed for file-/pathname
 - bugfix: occasional problem with libraries
 - bugfix: on task-switch among several low prioritized processes
 - improved checking of the function parameters at :Fifo_Full(), Fifo_Empty(), Fifo_Clear()
 - improved checking of the file, which is passed to the IMPORT instruction
- ADwin operating system (ADwin9.BTL, ADwinS9.BTL, ADwin10.BTL):
 - bugfixes at the communication process and at the process-scheduling of low priority processes
- Developer Software:
 - Matlab driver : new function Data Length()
 - C driver : sample programs revised
 - ADwinActiveX V 2.0.0.10: bugfix at function "Boot": If property Exception_Enable is used, then no exception was initiated.
- Pro-Storage V1.8: bugfixes; now also FLOAT can be stored/loaded

Most important features of version 4.01.01.21 compared to version 4.01.0106:

- ADbasic library files: new: FFT library now also for T10 (FFT.Lia)
- ADbasic include files:
 - ADwpdio.inc: new: instructions for the COMP16 module; bugfix on Pro-Storage (RTC)
 - ADwpext.inc: corrected: SET_RS()
 - ADwpda.inc: new instructions for memory option (for example Pro-Aout-4/16-M2)
- ADwin driver bugfixes and optimizations:
 - occasional problem with SetData function on ENET
 - occasional problem with access from several PCs to one ADwin-system (ENET)
 - better usage of the transmission bandwith on simultaneous access from one PC to several ADwin-systems with the same TCP/IP port.
 - ENET optimizations at SetFifo function, especially active with Win9X/ME PCs
- ADwin operating system (ADwin9.BTL, ADwinS9.BTL, ADwin10.BTL):
 - Bugfix: on starting a second process
- Developer Software:
 - VisualBasic driver: return value of the function Get Globaldelay
 - Testpoint driver: A/D Objekt now also for GOLD and L16

 - Labview driver: Acquire.vi now also for GOLD and L16
 InTouch driver: sample programs are on the CD for the first time some functions returned a duplicate result this is the calibration program for ADwin-Gold-ENI
- GoldCalib V1.0 this is the calibration program for ADwin-Gold-ENET/USB
- Pro-Storage V1.6: now also module addresses > 99 ADEthFlash V2.2: supports now also firmware 2.52

Most important features of version 4.01.0106 compared to version 4.00.0600:

- ADbasic version 4.01.01:
 - Mark Controlblock now also for SELECTCASE
 - new functions : CAST_FLOATTOLONG(), CAST_LONGTOFLOAT()
 - bugfixes:
 - at optimization level 2
 - constant -2147483648 was not accepted
 - problem with Fifo (Float) as LValue
 - Open All Includes did not work in certain cases
 - Debugmode did not work in LowInit section
 - problem on handling with strings
 - on ADC instruction if the first function parameter is not a constant
 - error on nested libraries with T10 if array is in external memory (DX)
- ADbasic include files:
 - ADwinpro.inc : new function : CPU_DIGIN()
 - ADwpdio.inc: new: Pro-Storage: PCMCIA- memory and real-time clock
- Developer Software:
 - Testpoint driver: support of the T10 processor
 - Labview driver: paths adapted for Labview 7 and sample programs
 - C driver : reworked
- ADEthFlash V2.1: support of ADwin Ethernet interface 2

Most important features of version 4.00.0600 compared to version 4.00.0500:

- ADbasic version 4.00.06:
 - bugfix: old incompatible libraries are now rejected
 - FFT- library newly generated with ADbasic 4
- ADconfig V2.7:
 - bugfix (problem, if all Device_No have been deleted)
- ADPro Version 4.1:
 - support of the new Pro-AlN 8/14, Pro-AlN-32/14, Pro-Aln-8/16 Rev C, Pro-Aln-32/16 Rev C

Most important features of version 4.00.0500 compared to version 3.20.1200 :

- ADbasic version 4.00.05:
 - T10 Processor (80 MHz) is now supported (*1)
 - Projectmanagement: A projectfile can be created, which is able to open several ADbasic files (*1)
 - new optimisations for T10: up to 10 % less program memory (PM) needed, compared with the T9
 - support also of the ADwin-Gold-ENET and ADwin-Gold-USB (both Rev. B1 or greater)
 - for ADwin-Gold: multiplexer settling time changed from 1,5 to 2,5 µs for theADC12 instruction.
 Programs with the ADC12 instruction now need more CPU- time and eventually have to be reworked.
 - Load Standardprocesses: If "No" => approx. 11 kByte bigger free program memory (PM)
 - Default Settings for Directory (BTL, INC, LIB) now also for several Users under NT, W2K, XP
 - commandline functionality
 - improved user interface :
 - all 80 PARs/FPARs in Parameter window
 - simultaneous control over all 10 processes in the "Processes Window" (*1)
 - new button: "Enable cyclic update"
 - new button: "Parameter Scan" (*1)
 - system (Gold, Pro, Light-16, ..) is now selectable. (= replacement for: "16 bit resolution")
 - shortcuts für Boot, Compile, Start, Stop, Parameter Scan, (Un-)Comment Block, In-/Outdent
 - permanent display of the options :
 - Process X delay (= former called : (Global-) Delay)
 - Initial Processdelay (= former called : (Global-) Delay)
 - Device No., Eventsource, Priority, Process number, Optimize Level
 - new instructions:
 - Sleep()
 - AT DM_LOCAL, AT DRAM_EXTERN can optionally be specified on BYREF parameters of libraries (for the reason of code optimisation
 - #IF PROZESSOR = T10 THEN
 - · bugfixes:
 - #DEFINE now also allowed on strings
 - at powerfunction (^) , at optimisation level 2, at IMPORT instruction
 - revised editions of ADbasic Manual and Tutorial
 - revised edition of context- sensitive ADbasic Online Help
 - *1 = a new ADbasic4 license is necessary for this feature
- ADbasic include files :
 - Adapted for processor T10: ADwpAD.inc, ADwpDA.inc, ADwpDIO.inc, ADwinPro.inc, ADwpEXT.inc

ADwpAD.inc: new for Pro-AIN-F-X/14 (Rev B2): BURST_CSTART(),BURST_CREAD(),SYNC_MODE()

new instructions for sequence control: SEQ_...() support of new Pro- AIN 8/14, Pro- AIN 32/14

ADwGcnt.inc: new for ADwin-Gold-ENET/-USB (Rev. B1 or greater) with CO1 Option:

CNT_GETSTATUS() , CNT_RESETSTATUS() , CNT_SE_DIFF()

- ADbasic Library files: new: ADwpEXT_lib.Li9, ADwpEXT_lib.LiA
- ADwin driver bugfixes :
 - occasional problem (errorcode 2000) with SetFifo function on ENET
 - occasional problem with path-/filename with function ADwin_Debug_Mode_On
- ADwin operating system (ADwin9.BTL, ADwinS9.BTL):
 - ADwinS9.BTL: approx. 11 kByte bigger free program memory (PM)
- Developer Software :
 - Labview driver: improvements on Stopdac, Startdac, Acquire, Process_Status
 - Delphi Treiber: improvements on Get_last_error_text
- ADtools V4.6: TProcess: Processor T10 is now supported; bugfixes at TPoti and TPar_FPar; improvements at TGraph
- ADEthFlash V2.0: Processor T10 is now supported
- ADPro Version 4.0 : Processor T10 is now supported
- ADtest V1.7: (settings are now stored in the registry in location "HKEY_CURRENT_USER")
- ADwinTCPIPserver V1.2: on errors, now errorcodes are displayed
- ADbootload V3.4: bugfix

Most important features of this version compared to version 3.20.0804:

- ADbasic version 3.20.12:

- Bugfixes on libraries and Sleep instruction in optimization level 2
- Bugfix on sin-, cos- and powerfunction (^) at processes with low priority
- ADwin driver :
 - improved USB driver
- ADwin operating system (ADwin9.BTL) :
 - Bugfix on Booting the ADwin-Pro system (undefined behaviour)
- Developer Software :
 - Matlab driver: (license key for this is required).
- ADtest V1.6: (settings are now stored in the registry in location "HKEY_CURRENT_USER")
- ADwinTCPIPserver V1.1 : (for the first time on the ADwin-CD)

Most important features of this version compared to version 3.20.0703:

- ADbasic version 3.20.08:
 - Bugfixes on libraries and on calculations with signed constants
 - The default setting for "16 Bit resolution" is now "Yes"
- ADbasic include files improved : ADwL16.inc , ADwgcnt.inc , ADwpad.inc

ADwpDIO.inc (new: instructions for Pro-CO4, Pro-DIO-32 (Rev B))

- ADbasic example "Bas Dmo7.bas" improved
- FFT- library available for the first time in : C:\ADwin\ADbasic3\lib
- ADwin driver improvements :
 - On using the functions GetData_Float / GetFifo_Float / GetFPar_All , possibly existing invalid bit patterns (e.g. because of not initialized data) are now set to Q-NAN
- Developer Software :
 - improvements in Labview and C driver
 - **ADwinActiveX V 2.0** available for the first time in : C:\ADwin\Developer\ActiveX Therefore for the first time a driver for the developer environment :
 - Visual Studio .NET: C#, VC++ 7, VB.NET

As well as for the developer environments :

- Visual C++ 6, Visual Basic 6, Borland Delphi, Borland C-Builder, Agilent VEE, etc.
- ADPro Version 2.9: The revision identifier is now displayed for all (i.e. also old) modules
- Windows Installer Engine version 2.0 :
 - The new engine version will be installed automatically, if necessary.
 - Problem on deinstalling older versions (Error 1316) is now fixed
 - Service pack 6 is now required for WinNT (SP6 is available on CD in directory: NT4_SP6a).

Most important features of this version compared to version 3.20.0109:

- ADbasic version 3.20.07 :
 - Bugfixes on strings, libraries, ADC12, optimization level 2, power function (^)
 - Escape sequences for strings
 - Constants are now combined/calculated at compile-time, no longer at runtime. This is valid for all optimization-levels. Advantage: programs are executed faster. But ATTENTION: waiting times (e. g. for multiplexer settling time), which have been implemented by program code containing calculations with constants, are now shorter. They have to be reworked respectively.
- ADbasic include files: ADwpEXT.inc (new instruction because CAN-LS: GET_LINE_STATUS ADwL16.inc (for ADwin-L16-DIO1 and ADwin-L16-CO1)
- ADwin driver bugfixes :
 - improved errorhandling for diverse functions
 - improved USB driver (errorhandling)
- ADwin operating system (ADwin9.BTL) :
 - decrease in the influence of the process- timing, which could be caused by :
 - BEGIN_CRITICAL_SECTION (often used in : ADwin-Pro)
 - or division in a process with low priority
- Developer Software:
 - improvements in Visual Basic, Labview and C driver
- ADPro Version 2.7: new: identification/calibration of new module Pro-AIN-F-4/14, Pro-AIN-F-8/14
- L16Calib V1.0 this is the calibration program for ADwin-Light16
- ADconfig V2.2: (configuring of several Devices is more user friendly now)
- ADtools V4.4:

- new: TString (for displaying and editing of ADbasic- strings)
- TPar FPar: new: individual labelling of each Par / FPar-line
- Bugfixes
- ADfind dll V 1.0 searches for all ADwin- DLL and BTL files, which are stored on the PC

Most important features of this version compared to version 3.20.0101:

- ADwin driver feature:
 - higher data transfer rates with GetData_Long, ..._Float, ..._String, ..._Double on ENET, if firmware of the ADwin ENET interface >= 2.5 and if <= 1750 data are transferred from the ADwin- system
- ADwin driver bugfixes :
 - occasional problem (windows- protection fault) with GetData function on networks, which have a lot of traffic
 - occasional problem (wrong errorcode) with SetFifo function on ENET
- ADPro version 2.6: new: identification of new counter module Pro-CO4
- ADbasic include files: ADwpAD.inc (because of new Pro-AIN-8/16-RB, Pro-AIN-32/16-RB, Pro-AIN-F-4/14, Pro-AIN-F-8/14)

ADwpDIO.inc (new: instructions for Pro-CO4 (and SSI))

- Developer Software :
 - Testpoint driver version 1.3.6 with the following new actions:
 - Get Last Error
 - Read Parameter All, Read Parameter Block
 - Labview driver version 2.0 with the following new functions:
 - errorhandling conformable with Labview (error wiring via Error In, Error Out : based on Get_Last_Error, Get_Last_Error_Text)
 - Get_Par_Block, Get_FPar_Block
 - GetData_String, SetData_String, String_Length
 - Process_Status, Data_Length, Set_Globaldelay, Get_Globaldelay, Set_Language
- ADEthFlash V1.5 (new: EEprom support)
- ScanAEI V1.2 (new: If DIL-switch 1 is present, the version number is displayed with an appended ".1")
- ADtools: bugfixes on Tgraph and TProcess
- ADconfig V2.1: easier user guidance for the configuration of Ethernet

Most important features of this version compared to version 3.00.3011:

- Window XP support (new USB driver)
- ADbasic version 3.20.01 : new :
 - Libraries (see : ADbasic3.20-lib_eng.pdf)
 - String functions (see : ADbasic manual : ADbasic3_eng.pdf)
 - "Syntax Color" (highlighting of ADbasic keywords, comments, etc.)
 - Autoindent
 - multiple "Undo" and "Redo"
 - "Open All Includes" (opens all files, which are included by the #INCLUDE command)
 - "Tabsize" now adjustable (Default Tabsize = 2, therefore it may be necessary to check the format of those ADbasic programs, which are usingTABs)
 - On right mouseclick:
 - (Un-)Comment Block (changing multiple codelines to comments and vice versa)
 - Indent/Outdent
 - Mark Controlblock (on right mouseclick on a line, which contains IF, ELSE or ENDIF, the whole textblock of the IF ELSE ENDIF structure will be highlighted; the same is also valid for: DO.. UNTIL, FOR.. NEXT)
 - Info window (shows several compiler- error messages and warnings)
 - diverse bugfixes (e.g. at SELECTCASE)
- ADPro version 2.4 : new : calibration function now has adjustable gain; binary input possible; ability to switch between UNI/BIP voltage ranges; identification of new module AIN32/16RB
- ADtest V1.4: last used Device No. is now saved
- ADconfig V2.0: diverse improvements, timeout now adjustable with resolution of 100 ms
- ADwin driver:
 - better error handling
 - bugfix at Set_Fifo (error occurred only with Ethernet, if Float Data were converted to Long DATA(s))

- bugfix at process-scheduling of low priority processes
- Developer Software: Visual Basic, Delphi and C driver with the following new functions:
 - Get_Last_Error, Get_Last_Error_Text
 - Get_Par_All, Get_FPar_All
 - GetData_String, SetData_String, String_Length
 - Process Status, Data Length, Set Globaldelay, Get Globaldelay, Set Language
 - etc.
- ADtools V4.1 (new: TFifo and TBin)
- ScanAEI V1.0 (scans all ADwin-Ethernet interfaces, which are located in the same TCP/IP- subnet as the PC)
- Linux: latest driver and (for the first time) XADbasic_beta (= ADbasic-GUI)

Most important features of this version compared to version 3.00.2735 :

- ADPro version 2.2: new: calibration function for Rev. B modules
- ADtest V1.3 : now also GOLD and Light-16 is supported ; Info window shows all installed ADwin software packages
- ADconfig version 1.7 : now available : 4-digit Linkaddress
- ADbasic : diverse bugfixes on : DAC- instruction, libraries, external event, integer division
- diverse updates and bugfixes on: ethernet, profibus, ADserver.exe, standard processes,
 Bootloader (Link), process-timing of low priority processes, communication problem on very big blocktransfer of data under WinNT and Win2000 fixed, problem on starting and stopping of processes under Testpoint fixed
- developer software:
 - Labview driver adapted for Labview 6.0
- for the first time on CD: ADbasic development system and drivers for Linux

Most important features of version 3.00.2735 compared with version 3.00.2733 :

- ADEthFlash V1.2 (for programming the bootloader and updating the firmware of ADwin-systems with Ethernet interface)
- ADTools V 3.6
- Significant improvement of the transfer rate of ADwin-light-16

Most important features of version 3.00.2733 compared with version 3.00.2332 :

- support of ADwin-systems with Ethernet interface
- under Win2000 also ADPCMCIA and PCI is now supported.
- under Win2000 the ISA-LINK cards are managed now in the "Device Manager".
- new ADbasic instruction : SELECTCASE
- "16 Bit resolution" is now the default setting in the ADbasic Compiler Options
- improvements in the accuracy of calculations with the power- function (^)
- improvements of the functionality and the (transfer rate) performance of USB