

Version **4.00.0600** :

Most important features version 4.00.0600 compared to version 4.00.0500 :

- ADbasic version 4.00.06 :
 - bugfix : old incompatible libraries are now rejected
 - FFT- library newly generated with ADbasic 4
- ADconfig V2.7 :
 - bugfix (problem, if all Device_No have been deleted)
- ADPro Version 4.1 :
 - support of the new Pro-AIN 8/14, Pro-AIN-32/14, Pro-Ain-8/16 Rev C, Pro-Ain-32/16 Rev C

Most important features version 4.00.0500 compared to version 3.20.1200 :

- ADbasic version 4.00.05 :
 - T10 Processor (80 MHz) is now supported (*1)
 - Projectmanagement : A projectfile can be created, which is able to open several ADbasic files (*1)
 - new optimisations for T10 : up to 10 % less program memory (PM) needed, compared with the T9
 - support also of the ADwin-Gold-ENET and ADwin-Gold-USB (both Rev. B1 or greater)
 - for ADwin-Gold : multiplexer settling time changed from 1,5 to 2,5 µs for the **ADC12** instruction. Programs with the ADC12 instruction now need more CPU- time and eventually have to be reworked.
 - Load Standardprocesses : If "No" => approx. 11 kByte bigger free program memory (PM)
 - Default Settings for Directory (BTL, INC, LIB) now also for several Users under NT, W2K, XP
 - commandline functionality
 - improved user interface :
 - all 80 PARs/FPARs in Parameter window
 - simultaneous control over all 10 processes in the "Processes Window" (*1)
 - new button: "Enable cyclic update"
 - new button: "Parameter Scan" (*1)
 - system (Gold, Pro, Light-16, ..) is now selectable. (= replacement for: "16 bit resolution")
 - shortcuts für Boot, Compile, Start, Stop, Parameter Scan, (Un-)Comment Block, In-/Outdent
 - permanent display of the options :
 - Process X delay (= former called : (Global-) Delay)
 - Initial Processdelay (= former called : (Global-) Delay)
 - Device No. , Eventsource , Priority , Process number , Optimize Level
 - new instructions :
 - Sleep()
 - AT DM_LOCAL, AT DRAM_EXTERN can optionally be specified on BYREF parameters of libraries (for the reason of code optimisation)
 - #IF PROZESSOR = T10 THEN
 - bugfixes :
 - #DEFINE now also allowed on strings
 - at powerfunction (^), at optimisation level 2, at IMPORT instruction
 - revised editions of ADbasic Manual and Tutorial
 - revised edition of context- sensitive ADbasic Online Help

*1 = a new ADbasic4 license is necessary for this feature

- ADbasic include files :
 - Adapted for processor T10 : ADwpAD.inc, ADwpDA.inc, ADwpDIO.inc, ADwinPro.inc, ADwpEXT.inc
 - ADwpAD.inc : new for Pro-AIN-F-X/14 (Rev B2) : BURST_CSTART(), BURST_CREAD(), SYNC_MODE() new instructions for sequence control : SEQ_...() support of new Pro- AIN 8/14 , Pro- AIN 32/14
 - ADwGcnt.inc : new for ADwin-Gold-ENET/-USB (Rev. B1 or greater) with CO1 Option : CNT_GETSTATUS(), CNT_RESETSTATUS(), CNT_SE_DIFF()
- ADbasic Library files : new : ADwpEXT_lib.Li9, ADwpEXT_lib.LiA
- ADwin driver bugfixes :
 - occasional problem (errorcode 2000) with SetFifo function on ENET
 - occasional problem with path-/filename with function ADwin_Debug_Mode_On
- ADwin operating system (ADwin9.BTL, ADwinS9.BTL) :

- ADwinS9.BTL : approx. 11 kByte bigger free program memory (PM)
- Developer Software :
 - Labview driver : improvements on Stopdac, Startdac, Acquire, Process_Status
 - Delphi Treiber : improvements on Get_last_error_text
- ADtools V4.6 : TProcess : Processor T10 is now supported ; bugfixes at TPoti and TPar_FPar ; improvements at TGraph
- ADEthFlash V2.0 : Processor T10 is now supported
- ADPro Version 4.0 : Processor T10 is now supported
- ADtest V1.7 : (settings are now stored in the registry in location „HKEY_CURRENT_USER“)
- ADwinTCPIPserver V1.2 : on errors, now errorcodes are displayed
- ADbootload V3.4 : bugfix

Most important features of this version compared to version 3.20.0804 :

- ADbasic version 3.20.12 :
 - Bugfixes on libraries and `sleep` instruction in optimization level 2
 - Bugfix on sin-, cos- and powerfunction (^) at processes with low priority
- ADwin driver :
 - improved USB driver
- ADwin operating system (ADwin9.BTL) :
 - Bugfix on Booting the ADwin-Pro system (undefined behaviour)
- Developer Software :
 - Matlab driver : (license key for this is required).
- ADtest V1.6 : (settings are now stored in the registry in location „HKEY_CURRENT_USER“)
- ADwinTCPIPserver V1.1 : (for the first time on the ADwin-CD)

Most important features of this version compared to version 3.20.0703 :

- ADbasic version 3.20.08 :
 - Bugfixes on libraries and on calculations with signed constants
 - The default setting for “16 Bit resolution” is now “Yes”
- ADbasic include files improved : ADwL16.inc , ADwgcnt.inc , ADwpad.inc
ADwpDIO.inc (new: instructions for Pro-CO4 , Pro-DIO-32 (Rev B))
- ADbasic example “Bas_Dmo7.bas” improved
- FFT– library available for the first time in : C:\ADwin\ADbasic3\lib
- ADwin driver improvements :
 - On using the functions `GetData_Float` / `GetFifo_Float` / `GetFPar_All` , possibly existing invalid bit patterns (e.g. because of not initialized data) are now set to Q-NAN
- Developer Software :
 - improvements in Labview and C – driver
 - **ADwinActiveX V 2.0** available for the first time in : C:\ADwin\Developer\ActiveX
Therefore for the first time a driver for the developer environment :
 - **Visual Studio .NET**: C#, VC++ 7, VB.NET
 As well as for the developer environments :
 - Visual C++ 6, Visual Basic 6 , Borland Delphi , Borland C-Builder , Agilent VEE, etc.
- ADPro Version 2.9 : The revision identifier is now displayed for all (i.e. also old) modules
- Windows Installer Engine version 2.0 :
 - The new engine version will be installed automatically, if necessary.
 - Problem on deinstalling older versions (Error 1316) is now fixed
 - Service pack 6 is now required for WinNT (SP6 is available on CD in directory : NT4_SP6a).

Most important features of this version compared to version 3.20.0109 :

- ADbasic version 3.20.07 :
 - Bugfixes on strings, libraries, ADC12, optimization level 2, power function (^)
 - Escape sequences for strings
 - Constants are now combined/calculated at compile-time, no longer at runtime. This is valid for all optimization-levels. Advantage : programs are executed faster. But **ATTENTION** : waiting times

(e. g. for multiplexer settling time) , which have been implemented by program code containing calculations with constants, are now shorter. They have to be reworked respectively.

- ADbasic include files :
 - ADwpEXT.inc (new instruction because CAN-LS : `GET_LINE_STATUS`)
 - ADwL16.inc (for ADwin-L16-DIO1 and ADwin-L16-CO1)
- ADwin driver bugfixes :
 - improved errorhandling for diverse functions
 - improved USB driver (errorhandling)
- ADwin operating system (ADwin9.BTL) :
 - decrease in the influence of the process- timing, which could be caused by :
 - `BEGIN_CRITICAL_SECTION` (often used in : ADwin-Pro)
 - or division in a process with low priority
- Developer Software :
 - improvements in Visual Basic, Labview and C - driver
- ADPro Version 2.7 : new : identification/calibration of new module Pro-AIN-F-4/14, Pro-AIN-F-8/14
- L16Calib V1.0 this is the calibration program for ADwin-Light16
- ADconfig V2.2 : (configuring of several Devices is more user friendly now)
- ADtools V4.4 :
 - new : TString (for displaying and editing of ADbasic- strings)
 - TPar_FPar : new : individual labelling of each Par / FPar-line
 - Bugfixes
- ADfind_dll V 1.0 searches for all ADwin- DLL and BTL files, which are stored on the PC

Most important features of this version compared to version 3.20.0101 :

- ADwin driver feature :
 - higher data transfer rates with GetData_Long, ..._Float, ..._String, ..._Double on ENET, if firmware of the ADwin ENET interface >= 2.5 and if <= 1750 data are transferred from the ADwin- system
- ADwin driver bugfixes :
 - occasional problem (windows- protection fault) with GetData function on networks, which have a lot of traffic
 - occasional problem (wrong errorcode) with SetFifo function on ENET
- ADPro version 2.6 : new : identification of new counter module Pro-CO4
- ADbasic include files :
 - ADwpAD.inc (because of new Pro-AIN-8/16-RB , Pro-AIN-32/16-RB , Pro-AIN-F-4/14, Pro-AIN-F-8/14)
 - ADwpDIO.inc (new: instructions for Pro-CO4 (and SSI))
- Developer Software :
 - Testpoint driver version 1.3.6 with the following new actions :
 - Get_Last_Error
 - Read Parameter All, Read Parameter Block
 - Labview driver version 2.0 with the following new functions:
 - errorhandling conformable with Labview (error wiring via Error In, Error Out : based on Get_Last_Error, Get_Last_Error_Text)
 - Get_Par_Block, Get_FPar_Block
 - GetData_String, SetData_String, String_Length
 - Process_Status, Data_Length, Set_Globaldelay, Get_Globaldelay, Set_Language
- ADEthFlash V1.5 (new : EEPROM support)
- ScanAEI V1.2 (new : If DIL-switch 1 is present, the version number is displayed with an appended ".1")
- ADtools : bugfixes on Tgraph and TProcess
- ADconfig V2.1 : easier user guidance for the configuration of Ethernet

Most important features of this version compared to version 3.00.3011 :

- Window XP support (new USB driver)
- ADbasic version 3.20.01 : new :
 - Libraries (see : ADbasic3.20-lib_eng.pdf)
 - String functions (see : ADbasic manual : ADbasic3_eng.pdf)
 - „Syntax Color“ (highlighting of ADbasic keywords, comments, etc.)
 - Autoindent
 - multiple “Undo“ and “Redo“
 - “Open All Includes“ (opens all files, which are included by the `#INCLUDE` command)
 - “Tabsize“ now adjustable (Default Tabsize = 2 , therefore it may be necessary to check the format of those ADbasic programs, which are using TABs)

- On right mouseclick :
 - (Un-)Comment Block (changing multiple codelines to comments and vice versa)
 - Indent/Outdent
 - Mark Controlblock (on right mouseclick on a line, which contains `IF`, `ELSE` or `ENDIF`, the whole textblock of the `IF – ELSE – ENDIF` structure will be highlighted ; the same is also valid for : `DO .. UNTIL,`
`FOR .. NEXT`)
- Info window (shows several compiler- error messages and warnings)
- diverse bugfixes (e.g. at `SELECTCASE`)
- ADPro version 2.4 : new : calibration function now has adjustable gain; binary input possible; ability to switch between UNI/BIP voltage ranges; identification of new module AIN32/16RB
- ADtest V1.4 : last used Device No. is now saved
- ADconfig V2.0 : diverse improvements, timeout now adjustable with resolution of 100 ms
- ADwin driver :
 - better error handling
 - bugfix at Set_Fifo (error occurred only with Ethernet, if Float Data were converted to Long DATA(s))
 - bugfix at process-scheduling of low priority processes
- Developer Software : Visual Basic , Delphi and C – driver with the following new functions :
 - Get_Last_Error, Get_Last_Error_Text
 - Get_Par_All, Get_FPar_All
 - GetData_String, SetData_String, String_Length
 - Process_Status, Data_Length, Set_Globaldelay, Get_Globaldelay, Set_Language
 - etc.
- ADtools V4.1 (new : TFifo and TBin)
- ScanAEI V1.0 (scans all ADwin-Ethernet interfaces, which are located in the same TCP/IP- subnet as the PC)
- Linux : latest driver and (for the first time) XADbasic_beta (= ADbasic-GUI)

Most important features of this version compared to version 3.00.2735 :

- ADPro version 2.2 : new : calibration function for Rev. B modules
- ADtest V1.3 : now also GOLD and Light-16 is supported ; Info window shows all installed ADwin software packages
- ADconfig version 1.7 : now available : 4-digit Linkaddress
- ADbasic : diverse bugfixes on : DAC- instruction, libraries, external event, integer division
- diverse updates and bugfixes on : ethernet, profibus, ADserver.exe, standard processes, Bootloader (Link), process-timing of low priority processes, communication problem on very big blocktransfer of data under WinNT and Win2000 fixed, problem on starting and stopping of processes under Testpoint fixed
- developer software :
 - Labview driver adapted for Labview 6.0
- for the first time on CD : ADbasic development system and drivers for Linux

Most important features of version 3.00.2735 compared with version 3.00.2733 :

- ADEthFlash V1.2 (for programming the bootloader and updating the firmware of ADwin-systems with Ethernet interface)
- ADTools V 3.6
- Significant improvement of the transfer rate of ADwin-light-16

Most important features of version 3.00.2733 compared with version 3.00.2332 :

- support of ADwin-systems with Ethernet interface
- under Win2000 also ADPCMCIA and PCI is now supported.
- under Win2000 the ISA-LINK cards are managed now in the "Device Manager".
- new ADbasic instruction : `SELECTCASE`
- "16 Bit resolution" is now the default setting in the ADbasic Compiler Options
- improvements in the accuracy of calculations with the power- function (`^`)
- improvements of the functionality and the (transfer rate) performance of USB

